

MFH

MICROFILTRAZIONE MICROFILTRATION




ENOVENETA





MICROFILTRAZIONE MICROFILTRATION

CARATTERISTICHE DI SERIE:

- Campana e base in acciaio inox AISI 316L per cartucce da 750 mm (30") con attacco a baionetta cod. 7
- Raccordi DIN
- Valvole a farfalla
- Gruppo superiore completo di manometro, specola visiva, valvola di sfiato e prelevacampioni
- Finitura lucida per uso alimentare
(Cartucce filtranti non incluse)

ACCESSORI:

- By-pass
- Telaio per impianto di microfiltrazione
- Pompa mohno di alimentazione

STANDARD FEATURES:

- AISI 316L stainless steel house and base for 750 mm (30") cartridges with cod. 7 bayonet fitting
- DIN fittings
- Butterfly valves
- Upper group complete of manometer, sight glass, bleed valve and sampling valve
- Food grade polished finishing
(Filtering cartridges not included)

OPTIONALS:

- By-pass
- Microfiltration plant frame
- Mohno feed pump



DATI TECNICI TECHNICAL DATA



		MFH-1	MFH-3	MFH-5	MFH8
Cartucce filtranti <i>Filtering cartridges</i>	hl/h	1	3	5	8
Raccordi <i>Fittings</i>	hl/h	25	40	40	50
Portata <i>Flow rate</i>	kW	10	30	50	80
Lunghezza <i>Length</i>	mm	700	1000	1000	1000
Profondità <i>Depth</i>	mm	450	450	450	450
Altezza <i>Height</i>	mm	1550	1550	1550	1550

Dati e misure non sono impegnativi e possono essere variati senza preavviso.
Measurements and operating data are not legally binding and subject to change without notice.



Enoveneta S.p.A.

Via Marconi, 56
35016 Piazzola sul Brenta (PD) - ITALY
T. +39 049 5590358 - F. +39 049 9600002
info@enoveneta.it

Enoveneta France

ZAC de Nicopolis, 292 Rue Vermentino
83170 Brignoles - FRANCE
T. +33 04 94 04 54 13 - F. +33 04 94 04 03 33
france@enoveneta.it

Enoveneta Brasil

Rua Joao Antonio Covolan
136 B. Santa Catarina
95030-410 Caxias do Sul (RS) – BRASIL

Rivenditore autorizzato - Dealer

www.enoveneta.it

